Safety Data Sheet OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev 3.



Revision date: Initial version Date of issue: 05.12.2018

Page: 1/1

Trade name: YELLOW 77[®] Wire Pulling Lubricant

SECTION 1: Identification

Product identifier: YELLOW 77® Wire Pulling Lubricant.

Synonyms: None available.

Product Code Number: 31-358, 31-351, 31-355, 31-365.

SDS number: ID023

Recommended use: Wire Pulling Lubricant.

Recommended restrictions: None known.

Manufacturer/Importer/Supplier/Distributor information:

Company Name: IDEAL INDUSTRIES, INC.

Company Address: Becker Place,

Sycamore, IL 60178

Company Telephone: Office hours (Mon – Fri)

7AM - 5 PM (CDT)

Company Contact Name: (815)895-5181
Darryl Docter.

Company Contact Email: IDEAL@IDEALINDUSTRIES.COM

Emergency phone number: 24 HOUR EMERGENCY NUMBER:

(815)895-5181.

SECTION 2: Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

Physical hazards

Not classified as a physical hazard under GHS criteria.

Health hazards

Not classified as a health hazard under GHS criteria

Environmental hazards

Not classified as an environmental hazard under GHS criteria.

GHS Signal word: Not applicable.

GHS Hazard statement(s): Not applicable.

GHS Hazard symbol(s): Not applicable

GHS Precautionary statement(s):

Revision Date: May 30, 2018 Page 1 of 1

Prevention:

No prevention precautionary statements required.

Response:

No response precautionary statements required

Storage:

No storage precautionary statements required.

Disposal:

No disposal precautionary statements required.

Hazard(s) not otherwise

Classified (HNOC): None known.

Percentage of ingredient(s) of unknown acute toxicity:

Not applicable

SECTION 3: Composition/information on ingredients

Mixture:

Chemical name	CAS#	Concentration (weight %)
None of the chemical raw materials contained in this formulation are considered hazardous under the Federal Hazards Communication Standard 29 C. F. R 1910.1200		

SECTION 4: First-aid Measures

Description of necessary measures:

Inhalation: Move to fresh air. Get medical attention if symptoms develop.

Skin contact: Wash off with warm water and soap for 15 minutes. Get medical attention if irritation develops or persists.

Eye contact: Flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

Ingestion: Induce vomiting. Consult physician or local poison control center.

Most important symptoms/effects, acute and delayed: None normally expected. Upon prolonged contact, may cause temporary eye discomfort. If material is used in extreme heat (>120° F), prolonged and repeated exposure could pose a risk of pulmonary disease.

Indication of immediate medical attention and special treatment needed: If any symptoms are observed, contact a physician and give them this SDS sheet.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: Not flammable by OSHA criteria. Use extinguishing media suitable for surrounding materials.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: None expected.

Combustion products - Excessive heat and burning may release oxides of carbon and nitrogen.

Special protective equipment and precautions for fire-fighters: Containers should be cooled with water to prevent vapor pressure build up. Cool containers with flooding quantities of water until well after fire is out. Move containers from fire area if you can do so without risk. For fire involving this material, do not enter any enclosed or confined fire space without proper protective equipment. Use self-contained breathing apparatus with full face shield to protect against the hazardous effects of combustion products and oxygen deficiencies.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: Isolate immediate hazard area and keep unauthorized personnel out. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures.

Methods and material for containment and cleaning up:

Wipe up, shovel or vacuum spilled material. Clean up spills immediately as they can be dangerously slippery.

SECTION 7: Handling and Storage

Precautions for safe handling: Keep away from children, infants and pets. Avoid contact with skin. Avoid contact with eyes. Wear personal protective equipment. Use good personal hygiene practices and wear appropriate personal protective equipment (see section 8).

Conditions for safe storage, including any incompatibles:

Store at temperatures between 40 - 120° F. Avoid freezing.

SECTION 8: Exposure controls/personal protection

Control Parameters:

Occupational exposure limits:

US OSHA HAZAR	DOUS COMPONENTS	(29 CFR 1910.1200):
Permissible Exposu	re Limits	
Substance	PEL-TWA (8 hour)	PEL-STEL (15 min)
Not applicable		

US ACGIH Thresh	old Limit Values	
Substance	TLV-TWA (8 hour)	TLV-STEL (15 min)
Not applicable		

USA. Workplace En	vironmental Exposu	re Levels (WEEL)	
Substance	TWA	STEL	
Not applicable			

Appropriate engineering controls: General (mechanical) room ventilation is expected to be adequate. Special local ventilation is recommended to keep mists below exposure limits. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Individual protection measures, such as personal protective equipment:

Eye/face protection: The use of safety glasses or splash goggles are recommended. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US).

Skin and Hand protection: None normally required. If worn, use neoprene. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection: No personal respiratory protective equipment normally required.

Other: Eye fountain in work area is recommended.

Thermal hazards: No data available.

SECTION 9: Physical and chemical properties

Appearance

Physical state: Paste

Form: Yellow creamy paste.

Color: Yellow.
Odor: Slight odor.
Odor threshold: No data avail

Odor threshold: No data available

SDS#: ID023

pH: 6.5-8.0.

Melting point/freezing point:

Initial boiling point and

No data available 212°F 100°C

boiling range:

Flash point: None

Evaporation rate: No data available

Flammability (solid, gas): The product is not flammable.

Upper/lower flammability or explosive limits

Flammability limit – lower %):

Flammability limit – upper (%):

Explosive limit – lower (%):

Explosive limit – upper (%):

Vapor pressure:

Vapor density:

Not applicable

Not applicable

Not applicable

Not applicable

No data available

No data available

Relative Density: 0.97-0.99 Solubility(ies): Moderate

Partition coefficient (n-octanol/water): No data available
Auto-ignition temperature:

No data available
Decomposition temperature:

No data available

Viscosity: 81000 cps @ 1 rpm 158°F 87500 cps @ 1 rpm 77°F

Other information:

Percent volatile by volume (%): < 90% Percent solid by weight: ~20%

SECTION 10: Stability and Reactivity

Reactivity: Not chemically reactive.

Chemical stability: Stable under normal ambient and anticipated

conditions of use.

Possibility of hazardous reactions: Hazardous reactions not anticipated.

Conditions to avoid:

Incompatible materials:

None expected.

Avoid strong oxidizers.

Hazardous decomposition Products: Excessive heat and burning may release oxides of

carbon and nitrogen.

SECTION 11: Toxicological information

Information on likely routes of exposure:

Inhalation: Not an expected route of entry. Ingestion: Not an expected route of entry.

Skin: Skin contact is a primary route of entry.

Eyes: Not an expected route of entry.

Symptoms related to the physical, chemical, and toxicological characteristics:

SDS#: ID023

None normally expected. If material is used in extreme heat (>120° F), prolonged and repeated exposure could pose a risk of pulmonary disease.

Delayed and immediate effects and chronic effects from short or long-term exposure: Upon prolonged contact, may cause temporary eye discomfort.

Numerical measures of toxicity:

Ingredient Information:

Substance	Test Type (species)	Value
	LD ₅₀ Oral (Rat)	
Not applicable	LD ₅₀ Dermal (Rabbit)	
	LC ₅₀ Inhalation (Rat)	

Product Acute Toxicity Estimates:

Acute Oral Toxicity – no data available Acute Dermal Toxicity - no data available Acute Inhalation Toxicity - no data available

Skin corrosion/irritation: No information available on the mixture, however

none of the components have been classified as skin corrosive/irritant (or are below the concentration

threshold for classification).

Serious eye damage/eye irritation: No information available on the mixture, however

none of the components have been classified as causing eye damage/eye irritation (or are below the

concentration threshold for classification).

Respiratory sensitization: No information available on the mixture, however

none of the components have been classified as a respiratory sensitizer (or are below the concentration

threshold for classification).

Skin sensitization: No information available on the mixture, however

none of the components have been classified as a skin sensitizer (or are below the concentration threshold

for classification).

Germ cell mutagenicity: No information available on the mixture, however

none of the components have been classified for

germ cell mutagenicity (or are below the concentration threshold for classification).

Carcinogenicity: No information available on the mixture, however

none of the components are listed in the National

Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.

Reproductive toxicity:

No information available on the mixture, however none of the components have been classified for reproductive toxicity (or are below the concentration threshold for classification).

Specific target organ toxicity-

Single exposure:

No information available on the mixture, however none of the components have been classified for STOT SE (or are below the concentration threshold for classification).

TOT Classific

Specific target organ toxicity-

Repeat exposure:

No information available on the mixture, however none of the components have been classified for STOT RE (or are below the concentration threshold

for classification).

Aspiration hazard:

No information available on the mixture, however none of the components have been classified for Aspiration hazard (or are below the concentration

threshold for classification).

Further information:

No data available.

SECTION 12: Ecological information

Ecotoxicity:

Product data: No data available

Ingredient Information:

Substance	Test Type	Species	Value	
Not applicable C_{50} C_{50} C_{50}	LC50	Fish		
	LC ₅₀	Aquatic Invertebrates		
	Algae			

Persistence and Degradability: No data available. Bioaccumulative Potential: No data available.

YELLOW 77® Wire Pulling Lubricant

SDS#: ID023

Mobility in Soil: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal instructions:

This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose in accordance with all applicable regulations.

See Sections 7 and 8 for information on handling, storage and personal protection and Section 9 for physical/chemical properties.

SECTION 14: Transport Information

US Department of Transportation Classification (49CFR)

This material is not classified as dangerous under DOT regulations.

IMDG

This material is not classified as dangerous under IMDG regulations.

IATA (Country variations may apply)

This material is not classified as dangerous under IATA regulations

Environmental hazards

Marine pollutant: No.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code) No further relevant information available.

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises. None.

SECTION 15: Regulatory Information

Safety, health and environmental regulations specific for the product.

USA:

United States Federal Regulations: This SDS complies with the OSHA, 29 CFR 1910.1200. The product is not hazardous under OSHA.

Toxic Substances Control Act (TSCA) – All substances in this product are exempt from the TSCA inventory.

Revision Date: May 30, 2018

SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313:

Section 302 – No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

CERCLA Hazardous Substance List, 40 CFR 302.4:

None listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): None listed.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3): None listed.

SARA Title III

Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A): None listed.

Section 311/312 (40 CFR 370):

Acute Health Hazard: No Chronic Health Hazard: No

Fire Hazard: No Pressure Hazard: No Reactivity Hazard: No

Section 313 Toxic Release Inventory (40 CFR 372):

This product contains the following materials that are subject to the reporting requirements of Section 313 of EPCRA: None

STATE REGULATIONS:

This SDS contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

California Proposition 65 (California Safe Drinking Water and Toxic Enforcement Act of 1986: No components are listed on Prop 65 as a carcinogen.

Massachusetts Right to Know: No components are listed on the Massachusetts Right to Know List.

New Jersey Right to Know: No components are listed on the New Jersey Right to Know list.

Pennsylvania Right to Know: No components are listed on the Pennsylvania Right to Know List.

Canada WHMIS Hazard Class: Not applicable.

SECTION 16: Other information, including date of preparation or last revision.

Revision Date: May 30, 2018

To the best of our knowledge, the information contained herein is accurate. However IDEAL INDUSTRIES INC. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.

Revision Date: May 30, 2018